

Overloading, Overriding and Method Dispatch

Upasana Pujari

POLYMORPHISM

| | |
|------|---------|
| | |
| poly | morphos |
| | |
| many | forms |

- Overloading – single method name having several alternative implementations.
- Overriding – child class provides alternative implementation for parent class method.
- Polymorphic variable – a variable that is declared as one type but holds a value of a different type.

Polymorphic Variable

Example :

```
Class Shape {
```

```
...
```

```
}
```

```
Class Triangle extends Shape {
```

```
...
```

```
}
```

```
Shape s = new Triangle;
```

- Java – all variables can be polymorphic.
- C++ – only pointers and references can be polymorphic.

Method Binding

- Determining the method to execute in response to a message.
- Binding can be accomplished either statically or dynamically.

Static Binding –

- Also known as “*Early Binding*”.
- Resolved at compile time.
- Resolution based on static type of the object(s).

Dynamic Binding –

- Also known as “*Late Binding*”.
- Resolved at run-time.
- Resolution based on the dynamic type of the object(s).
- Uses method dispatch table or Virtual function table.

Method Binding Example

```
Class Shape {  
public:  
virtual void Draw() { cout << "Shape Draw!" << endl; }  
}
```

```
Class Triangle : public Shape {  
public:  
void Draw() { cout << "Triangle Draw!" << endl; }  
}
```

```
Shape * sptr = new Triangle();  
Sptr->Draw(); // Triangle Draw!
```

Overloading

- **Overloading Based on Scopes**
- **Overloading based on Type Signatures**

Overloading

Overloading Based on Scopes

- same method name in different scopes.
- the scopes cannot overlap.
- No restriction on semantic similarity.
- No restriction on type signatures.
- Resolution of overloaded names based on class of receiver.

Example

```
Class SomeCards {  
    Draw() {...}    // Paint the face of the card  
}  
  
Class SomeGame {  
    Draw() {...}    // Remove a card from the deck of cards  
}
```

Overloading

Overloading Based on Type Signatures

- same method name with different implementations having different type signatures.
- Resolution of overloaded names is based on type signatures.
- Occurs in object-oriented languages (C++, Java, C#, Delphi Pascal)
- Occurs in imperative languages (Ada), and many functional languages.

Class Example {

```
Add(int a) { return a; }
```

```
Add(int a, int b) { return a + b; }
```

```
Add(int a, int b, int c) { return a + b + c; }
```

```
}
```

- C++ allows methods as well as operators to be overloaded.
- Java does not allow operators to be overloaded.

Overloading and Method Binding

Resolution of Overloaded Methods

- Method binding at compile time.
- Based on static types of argument values
- Methods cannot be overloaded based on differences in their return types alone.

```
Class SomeParent {...}
```

```
Class SomeChild : public SomeParent {...}
```

```
void Test (SomeParent *sp) { cout << "In Parent"; }
```

```
void Test (SomeChild *sc) { cout << "In Child"; }
```

```
SomeParent *value = new SomeChild();
```

```
Test(value);          // "In Parent"
```

```
}
```

Overloading Example

Overloading can be used to extend library functions and operators so they can work with user-defined data types.

```
Class Fraction
```

```
private:
```

```
    int t, b;
```

```
public:
```

```
    Fraction (int num, int denum) { t = num; b = denum; }
```

```
    int numerator() { return t; }
```

```
    int denominator() { return b; }
```

```
}
```

```
ostream & operator << (ostream & destination, Fraction & source)
```

```
{
```

```
    destination << source.numerator() << "/" << source.denominator;
```

```
    return destination;
```

```
}
```

Some Associated Mechanisms

- Coercion and Conversion
- Redefinition
- Polyadicity
- Multi-Methods

Coercion and Conversion

- Used when actual arguments of a method do not match the formal parameter specifications, but can be converted into a form that will match

- Coercion - implicitly implemented


Example `floatvar = intvar;`

- Conversion - explicitly requested by the programmer

Example `floatvar = (double) intvar;`

Substitution as Conversion

- Used when there is parent-child relationship between formal and actual parameters of a method



```
void order ( Dessert d, Cake c );  
void order ( Pie p, Dessert d );  
void order ( ApplePie a, Cake c );
```

```
order (aDessert, aCake);  
order (anApplePie, aDessert)  
order (aDessert, aDessert); // illegal  
order (anApplePie, aChocolateCake)  
order (aPie, aCake);
```

Substitution as Conversion

Resolution rules (when substitution is used as conversion in overloaded methods)

- If there is an exact match, execute that method.
- If there are more than one matching methods, execute the method that has the most specific formal parameters.
- If there are two or more methods that are equally applicable, the method invocation is ambiguous, so generate compiler error.
- If there is no matching method, generate compiler error.

Conversion

Conversion operators in C++

(these are the user supplied conversions)

- *One-argument constructor* : to convert from argument type to class type.

```
Fraction (int value)
{
    t = value; b = 1;    // Converts int into Fraction
}
```

- *Operator with type name as its name* : to convert class type to named type.

```
operator double ()
{ // Converts Fraction into double
    return numerator() / (double) denominator;
}
```

Conversion

Rules for Resolution of Overloaded methods

(taking into account all of the various conversion mechanisms)

- execute method whose formal parameters are an exact match for the actual parameters
- match using standard type promotions (e.g. integer to float)
- match using standard substitution (e.g. child types as parent types)
- match using user-supplied conversions (e.g. one-argument constructor, type name operator)
- if no match found, or more than one method matches, generate compiler error

Redefinition

When a child class defines a method with the same name as a method in the parent class but with a *different type signature*.

```
Class Parent {  
    public void Test (int a) {...}  
}
```

```
Class Child extends Parent {  
    public void Test (int a, int b) {...}  
}
```

```
Child aChild = new Child();  
aChild.Test(5);
```

How is it different from overriding?

Different type signature in Child class.

Redefinition

Two approaches to resolution

Merge model

- used by Java, C#
- method implementations found in all currently active scopes are merged into one list and the closest match from this list is executed.
- in the example, parent class method will be executed.

Hierarchical model

- used by C++
- each currently active scope is examined in turn to find the closest matching method
- in the example, compilation error in Hierarchical model

Delphi Pascal - can choose which model is used

merge model - if overload modifier is used with child class method.

Hierarchical model - otherwise.

Polyadicity

Polyadic method - method that can take a variable number of arguments.

```
printf("%s", strvar);  
printf("%s, %d", strvar, intvar);
```

- **Easy to use, difficult to implement**
- ***printf* in C and C++; *writeln* in Pascal; **+** operator in CLOS**

```
#include <stdarg.h>  
int sum (int argcnt, ...)      // C++ uses a data structure called  
{                               // variable argument list  
    va_list ap;  
    int result = 0;  
    va_start(ap, argcnt);  
    while (argcnt > 0) {  
        result += va_arg(ap, int);  
        argcnt--;  
    }  
    va_end(ap);  
    return result;  
}
```

Optional Parameters

Another technique for writing Polyadic methods.

- Provide default values for some parameters.
- If values for these parameters are provided then use them, else use the default values.
- Found in C++ and Delphi Pascal

```
AmtDue (int fixedCharge) ;
```

```
AmtDue (int fixedCharge, int fines) ;
```

```
AmtDue (int fixedCharge, int fines, int missc) ;
```

same as

```
AmtDue (int fixedCharge, int fines = 0, int missc = 0) ;
```

Multi-Methods

Multi-Methods

- combines the concepts of overloading and overriding.
- Method resolution based on the types of all arguments and not just the type of the receiver.
- Resolved at runtime.

The classes integer and real are derived from the parent class number.

```
function add (Integer a, Integer b) : Integer { ... }
```

```
function add (Integer a, Real b) : Real { ... }
```

```
function add (Real a, Integer b) : Real { ... }
```

```
function add (Real a, Real b) : Real { ... }
```

```
Number x = ... ;           // x and y are assigned some unknown values
```

```
Number y = ... ;
```

```
Real r = 3.14;
```

```
Real r2 = add(r, x);       // which method to execute
```

```
Real r3 = add(x, y);       // this is not type safe
```

Multi-Methods

Double dispatch

- a message can be used to determine the type of a receiver.
- To determine the types of two values, the same message is sent twice, using each value as receiver in turn.
- Then execute the appropriate method.

Overloading Based on Values

Overloading based on values

- overload a method based on argument values and not just types.
- Occurs only in Lisp-based languages - CLOS, Dylan.
- High cost of method selection algorithm.

Example

```
function sum(a : integer, b : integer) {return a + b;}  
function sum(a : integer = 0, b : integer) {return b;}
```

The second method will be executed if the first argument is the constant value zero, otherwise the first method will be executed.

Overriding

A method in child class overrides a method in parent class if they have the same name and type signature.

Overriding

- classes in which methods are defined must be in a parent-child relationship.
- Type signatures must match.
- Dynamic binding of messages.
- Runtime mechanism based on the dynamic type of the receiver.
- Contributes to code sharing (non-overriding classes share same method).

Overriding Notation

C++

```
class Parent {  
    public:  
        virtual int test (int a) { ... }  
}  
class Child : public Parent {  
    public:  
        int test (int a) { ... }  
}
```

C#

```
class Parent {  
    public virtual int test (int a) { ... }  
}  
class Child : Parent {  
    public override int test (int a) { ... }  
}
```

Overriding Notation

Java

```
class Parent {  
    public int test (int a) { ... }  
}  
class Child extends Parent {  
    public int test (int a) { ... }  
}
```

Object Pascal

```
type  
    Parent = object  
        function test(int) : integer;  
    end;  
    Child = object (Parent)  
        function test(int) : integer; override;  
    end;
```

Overriding

Overriding as Replacement

- child class method totally overwrites parent class method.
- Parent class method not executed at all.
- Smalltalk, C++.


Overriding as Refinement

- Parent class method executed within child class method.
- Behavior of parent class method is preserved and augmented.
- Simula, Beta

Constructors always use the refinement semantics of overriding.


Replacement in SmallTalk

In support of code reuse



Replacement in SmallTalk

In support of code optimization



```
"class boolean"
```

```
{&} right
```

```
self ifTrue: [right ifTrue: [^true] ].
```

```
^ false
```

```
"class True"
```

```
{&} right
```

```
^ right
```

```
"class False"
```

```
{&} right
```

```
^ false
```

Refinement in Beta

- Always code from parent class is executed first.
- When '*inner*' statement is encountered, code from child class is executed.
- If parent class has no subclass, then '*inner*' statement does nothing.

Example

```
class Parent {  
    public void printResult () {  
        print('< Parent Result; ');  
        inner;  
        print('>');  
    }  
}
```

```
class Child extends Parent {  
    public void printResult () {  
        print('Child Result; ');  
        inner;  
    }  
}
```

```
Parent p = new Child();  
p.printResult();
```

```
< Parent Result; Child Result; >
```

Simulation of Refinement using Replacement

C++

```
void Parent::test () {
    cout << "in parent \n" ;
}
void Child::test () {
    Parent::test();
    cout << "in child \n";
}
```

Object Pascal

```
procedure Parent.test ();
begin
    writeln("in parent");
end;
procedure Child.test ();
begin
    inherited test ();
    writeln("in child");
end;
```

Java

```
class Parent {
    void test () {System.out.println("in parent");}
}
class Child extends Parent {
    void test () {
        super.test();
        System.out.println("in child"); }
}
```

Refinement Vs Replacement

Refinement

- Conceptually very elegant mechanism
- Preserves the behavior of parent.
(impossible to write a subclass that is not also a subtype)
- Cannot simulate replacement using refinement.

Replacement

- No guarantee that behavior of parent will be preserved.
(it is possible to write a subclass that is not also a subtype).
- Can be used to support code reuse and code optimization
- Can simulate refinement using replacement.

Wrappers in CLOS

This mechanism can be used to simulate refinement.

A subclass overrides parent method and specifies a wrapping method.

Wrapping method can be


- 'before' method
- 'after' method
- 'around' method

```
(defclass parent () ())
(defclass child (parent) )
(defmethod test ((x parent)) (print "test parent"))
(defmethod atest :after ((x child)) (print "atest child"))
(defmethod btest :before ((x child)) (print "btest child"))
(defmethod rtest :around ((x child))
  (list "rtest chld before" (call-next-method) "rtest chld after"))

(defvar aChild (make-instance `child))
(atest aChild)           "atest child" "test parent"
(atest aChild)           "test parent" "btest child"
(atest aChild) "rtest chld before" "test parent" "rtest chld after"
```

Deferred Methods

- Defined but not implemented in parent class.
- Also known as abstract method (Java) and pure virtual method (C++)
- Associates an activity with an abstraction at a higher level than it actually is.



- Used to avoid compilation error in statically typed languages.

Deferred Method Example

C++

```
class Shape {  
    public:  
        virtual void Draw () = 0;  
}
```

Java

```
abstract class Shape {  
    abstract public void Draw ();  
}
```

Smalltalk

Draw

```
" child class should override this"  
^ self subclassResponsibility
```

(Smalltalk does implement the deferred method in parent class but when invoked will raise an error)

Shadowing

Child class implementation shadows the parent class implementation of a method.

- As example in C++, when overridden methods are not declared with 'virtual' keyword.
- Resolution is at compile time based on static type of the receiver.

```
class Parent {
public:
    void test () { cout << "in Parent" << endl; }
}
class Child : public Parent {
public:
    void test () { cout << "in Child" << endl; }
}

Parent *p = new Parent();
p->test();           // in Parent
Child *c new Child();
c->test();           // in Child
p = c;
p->test();           // in Parent
```

Overriding, Shadowing and Redefinition

Overriding

- Same type signature and method name in both parent and child classes.
- Method declared with language dependent keywords indicating overriding.

Shadowing

- Same type signature and method name in both parent and child classes.
- Method not declared with language dependent keywords indicating overriding.

Redefinition


- Same method name in both parent and child classes.
- Type signature in child class different from that in parent class.

Covariance and Contravariance

- An overridden method in child class has a different type signature than that in the parent class.
- Difference in type signature is in moving up or down the type hierarchy.

```
class Parent {  
    public void test (Shape s, Square sq)  
    { ... }  
}
```

```
class Child extends Parent {  
    public void test (Square sq, Shape s)  
    { ... }  
}
```



Covariance and Contravariance

- Covariant change - when the type moves down the type hierarchy in the same direction as the child class.

```
Parent aValue = new Child();  
aValue.func(aTriangle, aSquare);    // Run-time error  
                                     // No compile-time error
```

- Contravariant change - when the type moves in the direction opposite to the direction of subclassing.

```
Parent aValue = new Child();  
aValue.func(aSquare, aSquare);    // No errors
```

Covariance and Contravariance

- Covariant change in return type

```
Shape func () { return new Triangle(); } // In Parent Class
```

```
Square func () { return new Square(); } // In Child Class
```

```
Parent aValue = new Child();
```

```
Shape aShape = aValue.func(); // No compile-time or Run-Time errors
```

- Contravariant change in return type

```
Square func () { return new Square(); } // In Parent Class
```

```
Shape func () { return new Triangle(); } // In Child Class
```

```
Parent aValue = new Child();
```

```
Square aSquare = aValue.func(); // No compile-time errors
```

```
// Run-Time error
```

- C++ allows covariant change in return type.
- Eiffel, Sather allows both covariant and contravariant overriding
- Most other languages employ no variance

And Finally...

Java

- 'final' keyword applied to functions prohibits overriding.
- 'final' keyword applied to classes prohibits subclassing.

C#

- 'sealed' keyword applied to classes prohibits subclassing.
- 'sealed' keyword cannot be applied to individual functions.

|