

Design and Selection of Programming Languages

5th September 2002

Some Notation

- For a **set** S , its **cardinality** is written $\#S$ and its **power set** $\mathbb{P}S$.
- The **empty set** may be written $\{\}$ or \emptyset .
- **Set comprehension** is written using the pattern

$$\{ \textit{declaration} \mid \textit{predicate} \bullet \textit{term} \}$$

and denotes the set containing those values of \textit{term} that arise from binding variables in the $\textit{declaration}$ to elements satisfying the $\textit{predicate}$. For example:

$$\{n : \mathbb{N} \mid n < 5 \bullet n^2\} = \{0, 1, 4, 9, 16\}$$

If the $\textit{predicate}$ is omitted, it is understood to be *true*. If the \textit{term} is omitted, it is understood to be the tuple of all variable introduced in the $\textit{declaration}$, in the same order.

- **Quantification** also follows this pattern:

$$\begin{array}{ll} \forall \textit{declaration} \mid \textit{predicate} \bullet \textit{formula} & \Leftrightarrow \quad \forall \textit{declaration} \bullet (\textit{predicate} \Rightarrow \textit{formula}) \\ \exists \textit{declaration} \mid \textit{predicate} \bullet \textit{formula} & \Leftrightarrow \quad \exists \textit{declaration} \bullet (\textit{predicate} \wedge \textit{formula}) \end{array}$$

- The **cartesian product** of two sets A and B is written $A \times B$; it can be considered as defined in the following way:

$$A \times B = \{a : A; b : B \bullet (a, b)\}$$

- Given two sets A and B , a **relation** from A to B is a subset of $A \times B$; the set of all relations from A to B is denoted by $A \leftrightarrow B$; we therefore have:

$$A \leftrightarrow B = \mathbb{P}(A \times B)$$

- The **domain** (of definition) of a relation $R : A \leftrightarrow B$ is the following subset of A :

$$\text{dom } R = \{a : A \mid (\exists b : B \bullet (a, b) \in R)\}$$

The **range** of a relation $R : A \leftrightarrow B$ is the following subset of B :

$$\text{ran } R = \{b : B \mid (\exists a : A \bullet (a, b) \in R)\}$$

- For every set A , the **identical relation** may be written $\text{id } A$ or \mathbb{I}_A ; we have:

$$\text{id } A = \mathbb{I}_A = \{a : A \bullet (a, a)\}$$

- For two relations $R : A \leftrightarrow B$ and $S : B \leftrightarrow C$, their **composition** $R;S$ is an element of $A \leftrightarrow C$, and is defined as follows:

$$R;S = \{a : A; c : C \mid (\exists b : B \bullet (a, b) \in R \wedge (b, c) \in S)\}$$

- Every relation $R : A \leftrightarrow B$ has a **converse** (transposed) relation $R^\smile : B \leftrightarrow A$ with:

$$R^\smile = \{a : A; b : B \mid (a, b) \in R \bullet (b, a)\}$$

- A relation $R : A \leftrightarrow B$ is called
 - **univalent** (a **function**) iff $R^\smile;R \subseteq \mathbb{I}_B$;
 - **total** iff $\mathbb{I}_A \subseteq R;R^\smile$, or, equivalently, iff $\text{dom } R = A$;
 - **injective** iff $R;R^\smile \subseteq \mathbb{I}_A$
 - **surjective** iff $\mathbb{I}_B \subseteq R^\smile;R$, or, equivalently, iff $\text{ran } R = B$;
 - a **mapping** iff R is a total function;
 - **bijective** iff R is injective and surjective.

The following notations are used:

- $A \leftrightarrow B$ is the set of all partial functions (i.e., univalent relations) from A to B ;
 - $A \rightarrow B$ is the set of all mappings (i.e., total functions) from A to B ;
 - $A \mapsto B$ is the set of all univalent and injective relations from A to B ;
 - $A \mapsto B$ is the set of all injective mappings from A to B ;
 - $A \twoheadrightarrow B$ is the set of all univalent and surjective relations from A to B ;
 - $A \twoheadrightarrow B$ is the set of all surjective mappings from A to B ;
 - $A \xrightarrow{\sim} B$ is the set of all bijective mappings from A to B .
- A relation $R : A \leftrightarrow A$, i.e., where source and target are identical, is called *homogenous*. A homogenous relation $R : A \leftrightarrow A$ is called:
 - **reflexive** iff $\mathbb{I}_A \subseteq R$;
 - **irreflexive** iff $\mathbb{I}_A \cap R = \emptyset$;
 - **symmetric** iff $R = R^\smile$;
 - **asymmetric** iff $R \cap R^\smile = \emptyset$;
 - **antisymmetric** iff $R \cap R^\smile \subseteq \mathbb{I}_A$;
 - **transitive** iff $R;R \subseteq R$;
 - a **preorder** iff R is reflexive and transitive;
 - an **order** iff R is an antisymmetric preorder;
 - an **equivalence** iff R is reflexive, symmetric, and transitive;
 - a **partial equivalence relation (PER)** iff R is symmetric and transitive.