

and $\gcd(m_i, m_j) = 1$ for $i \neq j$, then there exists an r such that $r = r_i \pmod{m_i}$ for $0 \leq i \leq n$.

PROOF: The proof is by counting. Distinct values of r , $0 \leq r < \prod m_i$, represent distinct sequences. To see that, note that if $r = r' \pmod{m_i}$ for all i , then $m_i | (r - r')$ for all i , and so $(\prod m_i) | (r - r')$ (since the m_i 's are pairwise co-prime). So $r = r' \pmod{(\prod m_i)}$, and so $r = r'$ if both $r, r' \in \{0, 1, \dots, \prod m_i\}$.

But the total number of sequences r_0, \dots, r_n such that (8.2) holds is $\prod m_i$. Hence every such sequence must be a sequence of remainders of some r , $0 \leq r < \prod m_i$. \square

Note that the CRT can be stated in the language of group theory as follows:

$$\mathbb{Z}_{m_1 \cdot m_2 \cdot \dots \cdot m_n} \cong \mathbb{Z}_{m_1} \times \mathbb{Z}_{m_2} \times \dots \times \mathbb{Z}_{m_n}$$

where the m_i 's are pairwise co-prime.

8.3 RSA

It is well known that Adam and Eve no longer trust each other⁴. Adam sets up a mechanism whereby he can receive and decode encoded messages from an arbitrary person—and no one else (Eve in particular) can read them. To this end, Adam advertises a function f , and *anyone* can compute $f(m)$ for *any* message m , but only Adam can *efficiently* compute m from $f(m)$ using the function g , where $g(f(m)) = m$.

Choose two odd primes p, q , and set $n = pq$. Choose $k \in \mathbb{Z}_{\phi(n)}^*$, $k > 1$. Advertise f , where $f(m) = m^k \pmod{n}$. Compute $l = k^{-1}$ (inverse of k in $\mathbb{Z}_{\phi(n)}^*$). Now $\langle n, k \rangle$ are public, and the key l is secret, and so is the function g , where $g(C) = C^l \pmod{n}$. (Note that $g(f(m)) = m^{kl} \pmod{n} = m$.)

Note that computing the inverse of k in $\mathbb{Z}_{\phi(n)}^*$, that is l , can be done in polytime using the extended Euclidean algorithm. Just observe that if $k \in \mathbb{Z}_{\phi(n)}^*$, then $\gcd(k, \phi(n)) = 1$, so $\exists s, t$ such that $sk + t\phi(n) = 1$, and further s, t can be chosen so that s is in $\mathbb{Z}_{\phi(n)}^*$ (first obtain any s, t from the extended Euclidean algorithm, and then just add to s the appropriate number of (positive or negative) multiples of $\phi(n)$ to place it in the set $\mathbb{Z}_{\phi(n)}^*$, and adjust t by the same number of multiples (of opposite sign)). Set $l := s$.

Obviously RSA relies on the hardness of factoring integers for its security; if we were able to factor n , we would obtain p, q , and hence $\phi(n) = \phi(pq) = (p-1)(q-1)$, and so we would be able to compute l .

⁴See Genesis 3:15.

The first question is: why $m^{kl} =_n m$? Observe that $kl = 1 + (-t)\phi(n)$, where $(-t) > 0$, and so $m^{kl} =_n m^{1+(-t)\phi(n)} =_n m \cdot (m^{\phi(n)})^{(-t)} =_n m$, because $m^{\phi(n)} =_n 1$. Note that this last statement does not follow directly from Euler's Theorem, because $m \in \mathbb{Z}_n$, and not necessarily in \mathbb{Z}_n^* ; in fact m must be in $\mathbb{Z}_n - \{0, p, q, pq\}$, so we could insist that the messages m are small relative to n , so that $0 < m < \min\{p, q\}$ —in fact, we break a large message into those small pieces. By Fermat's little theorem, we know that $m^{(p-1)} =_p 1$ and $m^{(q-1)} =_q 1$, so $m^{(p-1)(q-1)} =_p 1$ and $m^{(q-1)(p-1)} =_q 1$, thus $m^{\phi(n)} =_p 1$ and $m^{\phi(n)} =_q 1$. This means that $p|(m^{\phi(n)} - 1)$ and $q|(m^{\phi(n)} - 1)$, so, since p, q are distinct primes, it follows that $(pq)|(m^{\phi(n)} - 1)$, and so $m^{\phi(n)} =_n 1$.

The second question is: how to select random primes? Two random primes are needed to find the public key $n = pq$ for the RSA⁵ encryption scheme. It is a non-trivial problem, primarily because verifying the primality of a number is difficult. Here is how we go about it: we know by the prime number theorem that there are about $\pi(n) = n/\log n$ many primes $\leq n$. This means that there are $2^n/n$ primes among n -bit integers, roughly 1 in n , and these primes are fairly uniformly distributed. So we pick an integer at random, in a given range, and apply a primality testing algorithm to it, which in practice means the Rabin-Miller test⁶; see section 7.1.2, algorithm 7.1.2.

We now discuss very briefly two issues related to the security of RSA. The first one is that the primes p, q cannot be chosen “close” to each other. Note that

$$n = \left(\frac{p+q}{2}\right)^2 - \left(\frac{p-q}{2}\right)^2.$$

Since p, q are close, we know that $s := \frac{p-q}{2}$ is small, and $t := \frac{p+q}{2}$ is only slightly larger than $n^{\frac{1}{2}}$, and $t^2 - n = s^2$ is a perfect square. So we try the following candidate values for t :

$$\lceil n^{\frac{1}{2}} \rceil, \lceil n^{\frac{1}{2}} \rceil + 1, \lceil n^{\frac{1}{2}} \rceil + 2, \dots$$

until $t^2 - n$ is a perfect square s^2 . Clearly, if s is small, we will quickly find such a t , and then $p = t + s$ and $q = t - s$.

The second issue is the following: suppose that Eve can compute $\phi(n)$ from n . Then she can easily compute the primes p, q (of course, if she can

⁵RSA is named after the first letters of the last names of its inventors: Ron **R**ivest, Adi **S**hamir, and Leonard **A**dleman.

⁶The fact that this method of selecting primes works is attested by the fact that encryption packages such as GPG (www.gnupg.org) use it, and they work very well.

compute $\phi(n)$ she can directly compute l , and she does not need p, q . To see this note that $\phi(n) = \phi(pq) = (p-1)(q-1)$. Then,

$$\begin{aligned} p + q &= n - \phi(n) + 1 \\ pq &= n \end{aligned} \tag{8.3}$$

Note that

$$(x-p)(x-q) = x^2 - (p+q)x + pq = x^2 - (n - \phi(n) + 1)x + n,$$

so we can compute p, q by computing the roots of this last polynomial, and using the quadratic formula $x = (-b \pm \sqrt{b^2 - 4ac})/2a$, we obtain that p, q are

$$\frac{(n - \phi(n) + 1) \pm \sqrt{(n - \phi(n) + 1)^2 - 4n}}{2}.$$

Suppose that Eve is able to compute l from n and k . If Eve knows l , then she knows that whatever $\phi(n)$ is, it divides $kl - 1$, so she has equations (8.3) but with $\phi(n)$ in the first equation replaced by $(kl - 1)/a$, for some a . There is a randomized polytime procedure to find the appropriate a , and obtain p, q , but we do not describe it here.

Thus, if Eve is able to factor then she can obviously break RSA; on the other hand, if Eve can break RSA (by computing l from n, k), then she would be able to factor in randomized polytime. Conceivably Eve could be able to break RSA *without* computing l , so this observation does not relate the security of RSA to factoring all that tightly.

8.4 The Isolation Lemma

A *weight function* over a finite set U is a mapping from U to the set of positive integers. We naturally extend any weight function over U to one on the power set $\mathcal{P}(U)$ as follows. For each $S \subseteq U$, the weight of S with respect to a weight function W , denoted $W(S)$, is $\sum_{x \in S} W(x)$. Let F be a nonempty family of nonempty subsets of U . Call a weight function W *good* for F if there is exactly one minimum-weight set in F with respect to W . Call W *bad* for F otherwise.

Lemma 8.4.1 (Isolation) *Let U be a finite set. Let F_1, \dots, F_m be families of nonempty subsets over U , and let $D = |U|$. Let $R > mD$, and let Z be the set of all weight functions whose weights are at most R . Let α , $0 < \alpha < 1$, be such that $\alpha > \frac{mD}{R}$. Then, more than $(1 - \alpha)|Z|$ functions in Z are good for all F_1, \dots, F_m .*